ELSEVIER

Gene Structure and Expression

Vol. 1396, 1998

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

# Author Index

Aiso, S., see Hiraoka, Y. (1396) 132
Alonso-Llamazares, A., López-Alonso, J., Del Barrio, M., Casanova, E., Calvo, P. and Chinchetru, M.A.
Cloning of chicken and mouse $\alpha_{1b}$ adrenergic receptor (1396) 263
Amiche, M., see Fleury, Y. (1396) 228
Argent, A.C., see Sinard, J.H. (1396) 57
Arst Jr., H.N., see MacCabe, A.P. (1396) 163
Asai, K., Fujita, K., Yamamoto, M., Hotta, T., Morikawa, M., Kokubo, M., Moriyama, A. and Kato, T.
Isolation of novel human cDNA (hGMF-$\gamma$) homologous to Glia Maturation Factor-$\beta$ gene (1396) 242

Bachmann, M., see Grölz, D. (1396) 278
Baldini, A., see Novelli, G. (1396) 158
Beary, K.E., see Loshon, C.A. (1396) 148
Bengala, M., see Novelli, G. (1396) 158
Berenguer, J., see Ramírez-Arcos, S. (1396) 215
Beven, L., see Fleury, Y. (1396) 228
Bordoni, R., see Novelli, G. (1396) 158
Botman, M., see Jefferies, D. (1396) 237

Calvo, P., see Alonso-Llamazares, A. (1396) 263
Campbell, D.A., see Suyama, Y. (1396) 138
Casanova, E., see Alonso-Llamazares, A. (1396) 263
Chikamori, M., see Taketani, Y. (1396) 267
Chinchetru, M.A., see Alonso-Llamazares, A. (1396) 263
Colosimo, A., see Novelli, G. (1396) 158
Conti, E., see Novelli, G. (1396) 158
Cornell, K.A. and Riscoe, M.K.
Cloning and expression of *Escherichia coli* 5′-methylthioadenosine/S-adenosylhomocysteine nucleosidase: Identification of the *pfs* gene product (1396) 8
Cox, G.S., Gutkin, D.W., Haas, M.J. and Cosgrove, D.E.
Isolation of an Alu repetitive DNA binding protein and effect of CpG methylation on binding to its recognition sequence (1396) 67

Dallapiccola, B., see Novelli, G. (1396) 158
Dammann, R. and Pfeifer, G.P.
Cloning and characterization of the human RNA polymerase I subunit hRPA40 (1396) 153
DeLemos, R., see Hamdan, H. (1396) 336
Delfour, A., see Fleury, Y. (1396) 228
Del Mazo, J., see De Luis, O. (1396) 294
De Luis, O. and Del Mazo, J.
Gene expression of mouse M1 and M2 pyruvate kinase isoenzymes correlates with differential poly[A] tract extension of their mRNAs during the development of spermatogenesis (1396) 294
Doi, A., Shiosaka, T., Takaoka, Y., Yanagisawa, K. and Fujita, S.
Molecular cloning of the cDNA encoding A + U-rich element RNA binding factor (1396) 51
Drozdowski, B., Gong, T.-W.L. and Lomax, M.I.
The chicken cDNA for ornithine decarboxylase antizyme (1396) 21

Enomoto, T., see Seki, T. (1396) 127

Farquharson, C., see Jefferies, D. (1396) 237
Fernández-Herrero, L.A., see Ramírez-Arcos, S. (1396) 215
Fleury, Y., Vouille, V., Beven, L., Amiche, M., Wróblewski, H., Delfour, A. and Nicolas, P.
Synthesis, antimicrobial activity and gene structure of a novel member of the dermaseptin B family (1396) 228
Fujimura, M., see Katashima, R. (1396) 245
Fujita, K., see Asai, K. (1396) 242
Fujita, S., see Doi, A. (1396) 51
Fukuda, S., see Shoudai, K. (1396) 273

Gagné, M.-F., see Gendron, N. (1396) 32
Gendron, N., Dumont, M., Gagné, M.-F. and Lemaire, S.
Poly A-containing histone H4 mRNA variant (H4-v.1): Isolation and sequence determination from bovine adrenal medulla (1396) 32
Gong, T.-W.L., see Drozdowski, B. (1396) 21
Gouveia, K., see Loshon, C.A. (1396) 148
Grey, E.Z., see Loshon, C.A. (1396) 148
Grölz, D., Tröster, H., Semsei, I. and Bachmann, M.
Analysis of expression of the gene encoding for the nuclear autoantigen La/SS-B using reportergene constructs (1396) 278
Gutkin, D.W., see Cox, G.S. (1396) 67

Haas, M.J., see Cox, G.S. (1396) 67
Hamdan, H., Liu, H., Li, C., Jones, C., Lee, M., DeLemos, R. and Minoo, P.
Structure of the human *Nkx2.1* gene (1396) 336
Hattori, Y., see Suzuki, K. (1396) 1
Hayakawa, M., see Kiyama, M. (1396) 39
Heim, J., Schmidt-Dannert, C., Atomi, H. and Schmid, R.D.
Functional expression of a mammalian acetylcholinesterase in *Pichia pastoris*: comparison to acetylcholinesterase, expressed and reconstituted from *Escherichia coli* (1396) 306
Hibino, Y., Ohzeki, H., Hirose, N. and Sugano, N.
Involvement of phosphorylation in binding of nuclear scaffold proteins from rat liver to a highly repetitive DNA component (1396) 88
Hiraoka, Y., Ogawa, M., Sakai, Y., Taniguchi, K., Fujii, T., Umezawa, A., Hata, J.-i. and Aiso, S.
Isolation and expression of a human *SRY*-related cDNA, *hSOX20* (1396) 132
Honda, Y., see Irie, T. (1396) 27
Hotta, T., see Asai, K. (1396) 242
Houston, B., see Jefferies, D. (1396) 237
Hsieh, C.-C., see Yiangou, M. (1396) 191

Iio, M., see Shoudai, K. (1396) 273
Imai, T., see Shoudai, K. (1396) 273
Irie, T., Honda, Y., Matsuyama, T., Watanabe, T. and Kuwahara, M.
Cloning and characterization of the gene encoding the iron–sulfur protein of succinate dehydrogenase from *Pleurotus ostreatus* (1396) 27
Itakura, M., see Katashima, R. (1396) 245
Iwahana, H., see Katashima, R. (1396) 245

Jang, Y.J., see Lee, M.H. (1396) 207
Jefferies, D., Botman, M., Farquharson, C., Lester, D., Whitehead, C.C., Thorp, B.H. and Houston, B.
Cloning differentially regulated genes from chondrocytes using agarose gel differential display (1396) 237

ELSEVIER

Gene Structure and Expression

Vol. 1396, 1998

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

# Author Index

Aiso, S., see Hiraoka, Y. (1396) 132
Alonso-Llamazares, A., López-Alonso, J., Del Barrio, M., Casanova, E., Calvo, P. and Chinchetru, M.A.
Cloning of chicken and mouse $\alpha_{1b}$ adrenergic receptor (1396) 263
Amiche, M., see Fleury, Y. (1396) 228
Argent, A.C., see Sinard, J.H. (1396) 57
Arst Jr., H.N., see MacCabe, A.P. (1396) 163
Asai, K., Fujita, K., Yamamoto, M., Hotta, T., Morikawa, M., Kokubo, M., Moriyama, A. and Kato, T.
Isolation of novel human cDNA (hGMF-$\gamma$) homologous to Glia Maturation Factor-$\beta$ gene (1396) 242

Bachmann, M., see Grölz, D. (1396) 278
Baldini, A., see Novelli, G. (1396) 158
Beary, K.E., see Loshon, C.A. (1396) 148
Bengala, M., see Novelli, G. (1396) 158
Berenguer, J., see Ramírez-Arcos, S. (1396) 215
Beven, L., see Fleury, Y. (1396) 228
Bordoni, R., see Novelli, G. (1396) 158
Botman, M., see Jefferies, D. (1396) 237

Calvo, P., see Alonso-Llamazares, A. (1396) 263
Campbell, D.A., see Suyama, Y. (1396) 138
Casanova, E., see Alonso-Llamazares, A. (1396) 263
Chikamori, M., see Taketani, Y. (1396) 267
Chinchetru, M.A., see Alonso-Llamazares, A. (1396) 263
Colosimo, A., see Novelli, G. (1396) 158
Conti, E., see Novelli, G. (1396) 158
Cornell, K.A. and Riscoe, M.K.
Cloning and expression of *Escherichia coli* 5′-methylthioadenosine/S-adenosylhomocysteine nucleosidase: Identification of the *pfs* gene product (1396) 8
Cox, G.S., Gutkin, D.W., Haas, M.J. and Cosgrove, D.E.
Isolation of an Alu repetitive DNA binding protein and effect of CpG methylation on binding to its recognition sequence (1396) 67

Dallapiccola, B., see Novelli, G. (1396) 158
Dammann, R. and Pfeifer, G.P.
Cloning and characterization of the human RNA polymerase I subunit hRPA40 (1396) 153
DeLemos, R., see Hamdan, H. (1396) 336
Delfour, A., see Fleury, Y. (1396) 228
Del Mazo, J., see De Luis, O. (1396) 294
De Luis, O. and Del Mazo, J.
Gene expression of mouse M1 and M2 pyruvate kinase isoenzymes correlates with differential poly[A] tract extension of their mRNAs during the development of spermatogenesis (1396) 294
Doi, A., Shiosaka, T., Takaoka, Y., Yanagisawa, K. and Fujita, S.
Molecular cloning of the cDNA encoding A + U-rich element RNA binding factor (1396) 51
Drozdowski, B., Gong, T.-W.L. and Lomax, M.I.
The chicken cDNA for ornithine decarboxylase antizyme (1396) 21

Enomoto, T., see Seki, T. (1396) 127

Farquharson, C., see Jefferies, D. (1396) 237
Fernández-Herrero, L.A., see Ramírez-Arcos, S. (1396) 215
Fleury, Y., Vouille, V., Beven, L., Amiche, M., Wróblewski, H., Delfour, A. and Nicolas, P.
Synthesis, antimicrobial activity and gene structure of a novel member of the dermaseptin B family (1396) 228
Fujimura, M., see Katashima, R. (1396) 245
Fujita, K., see Asai, K. (1396) 242
Fujita, S., see Doi, A. (1396) 51
Fukuda, S., see Shoudai, K. (1396) 273

Gagné, M.-F., see Gendron, N. (1396) 32
Gendron, N., Dumont, M., Gagné, M.-F. and Lemaire, S.
Poly A-containing histone H4 mRNA variant (H4-v.1): Isolation and sequence determination from bovine adrenal medulla (1396) 32
Gong, T.-W.L., see Drozdowski, B. (1396) 21
Gouveia, K., see Loshon, C.A. (1396) 148
Grey, E.Z., see Loshon, C.A. (1396) 148
Grölz, D., Tröster, H., Semsei, I. and Bachmann, M.
Analysis of expression of the gene encoding for the nuclear autoantigen La/SS-B using reportergene constructs (1396) 278
Gutkin, D.W., see Cox, G.S. (1396) 67

Haas, M.J., see Cox, G.S. (1396) 67
Hamdan, H., Liu, H., Li, C., Jones, C., Lee, M., DeLemos, R. and Minoo, P.
Structure of the human *Nkx2.1* gene (1396) 336
Hattori, Y., see Suzuki, K. (1396) 1
Hayakawa, M., see Kiyama, M. (1396) 39
Heim, J., Schmidt-Dannert, C., Atomi, H. and Schmid, R.D.
Functional expression of a mammalian acetylcholinesterase in *Pichia pastoris*: comparison to acetylcholinesterase, expressed and reconstituted from *Escherichia coli* (1396) 306
Hibino, Y., Ohzeki, H., Hirose, N. and Sugano, N.
Involvement of phosphorylation in binding of nuclear scaffold proteins from rat liver to a highly repetitive DNA component (1396) 88
Hiraoka, Y., Ogawa, M., Sakai, Y., Taniguchi, K., Fujii, T., Umezawa, A., Hata, J.-i. and Aiso, S.
Isolation and expression of a human *SRY*-related cDNA, *hSOX20* (1396) 132
Honda, Y., see Irie, T. (1396) 27
Hotta, T., see Asai, K. (1396) 242
Houston, B., see Jefferies, D. (1396) 237
Hsieh, C.-C., see Yiangou, M. (1396) 191

Iio, M., see Shoudai, K. (1396) 273
Imai, T., see Shoudai, K. (1396) 273
Irie, T., Honda, Y., Matsuyama, T., Watanabe, T. and Kuwahara, M.
Cloning and characterization of the gene encoding the iron–sulfur protein of succinate dehydrogenase from *Pleurotus ostreatus* (1396) 27
Itakura, M., see Katashima, R. (1396) 245
Iwahana, H., see Katashima, R. (1396) 245

Jang, Y.J., see Lee, M.H. (1396) 207
Jefferies, D., Botman, M., Farquharson, C., Lester, D., Whitehead, C.C., Thorp, B.H. and Houston, B.
Cloning differentially regulated genes from chondrocytes using agarose gel differential display (1396) 237

Jendraschak, E., Kaminski, W.E., Kiefl, R. and Von Schacky, C.
IGF-1, PDGF and CD18 are adherence-responsive genes: regulation during monocyte differentiation (1396) 320
Jhaveri, M.S. and Morrow, C.S.
Contribution of proximal promoter elements to the regulation of basal and differential glutathione *S*-transferase P1 gene expression in human breast cancer cells (1396) 179

Kaminski, W.E., see Jendraschak, E. (1396) 320
Katada, T., see Seki, T. (1396) 127
Katashima, R., Iwahana, H., Fujimura, M., Yamaoka, T., Ishizuka, T., Tatibana, M. and Itakura, M.
Molecular cloning of a human cDNA for the 41-kDa phosphoribosylpyrophosphate synthetase-associated protein (1396) 245
Kato, T., see Asai, K. (1396) 242
Kiefl, R., see Jendraschak, E. (1396) 320
Kiyama, M., Hayakawa, M., Shiroza, T., Nakamura, S., Takeuchi, A., Masamoto, Y. and Abiko, Y.
Sequence analysis of the *Porphyromonas gingivalis* dipeptidyl peptidase IV gene (1396) 39
Koo, H.-S., see Lee, M.H. (1396) 207
Kuwahara, M., see Irie, T. (1396) 27

Larson, T.J., see Yang, B. (1396) 114
Lee, M., see Hamdan, H. (1396) 336
Lee, M.H., Jang, Y.J. and Koo, H.-S.
Alternative splicing in the *Caenorhabditis elegans* DNA topoisomerase I gene (1396) 207
Lester, D., see Jefferies, D. (1396) 237
Li, C., see Hamdan, H. (1396) 336
Liu, H., see Hamdan, H. (1396) 336
Lomax, M.I., see Drozdowski, B. (1396) 21
Londei, P.
A hypothesis on the mechanism of translational initiation (1396) 169
Loshon, C.A., Beary, K.E., Gouveia, K., Grey, E.Z., Santiago-Lara, L.M. and Setlow, P.
Nucleotide sequence of the *sspE* genes coding for γ-type small, acid-soluble spore proteins from the round-spore-forming bacteria *Bacillus aminovorans*, *Sporosarcina halophila* and *S. ureae* (1396) 148

MacCabe, A.P., Vanhanen, S., Sollewijn Gelpke, M.D., Van de Vondervoort, P.J.I., Arst Jr., H.N. and Visser, J.
Identification, cloning and sequence of the *Aspergillus niger areA* wide domain regulatory gene controlling nitrogen utilisation (1396) 163
Mari, A., see Novelli, G. (1396) 158
Markou, E., see Yiangou, M. (1396) 191
Masamoto, Y., see Kiyama, M. (1396) 39
Masson, J.-Y., see Ramotar, D. (1396) 15
Matsuyama, T., see Irie, T. (1396) 27
Minamikawa, T., see Yamamoto, S. (1396) 47
Minoo, P., see Hamdan, H. (1396) 336
Miura, R., see Shoudai, K. (1396) 273
Miyamoto, K.-i., see Taketani, Y. (1396) 267
Mizuno, S., see Yamagoe, S. (1396) 105
Morikawa, M., see Asai, K. (1396) 242
Morita, K., see Taketani, Y. (1396) 267
Moriyama, A., see Asai, K. (1396) 242
Morrow, C.S., see Jhaveri, M.S. (1396) 179
Morrow, J.S., see Sinard, J.H. (1396) 57

Müller, H., Orwig, K.E. and Soares, M.J.
Identification of two new members of the mouse prolactin gene family (1396) 251

Nicolas, P., see Fleury, Y. (1396) 228
Nomiyama, H., see Shoudai, K. (1396) 273
Novelli, G., Mari, A., Amati, F., Colosimo, A., Sangiuolo, F., Bengala, M., Conti, E., Ratti, A., Bordoni, R., Pizzuti, A., Baldini, A., Crinelli, R., Pandolfi, F., Magnani, M. and Dallapiccola, B.
Structure and expression of the human ubiquitin fusion–degradation gene (UFD1L) (1396) 158

Ohta, N., see Suzuki, K. (1396) 1
Ohzeki, H., see Hibino, Y. (1396) 88
Orwig, K.E., see Müller, H. (1396) 251

Pandolfi, F., see Novelli, G. (1396) 158
Papaconstantinou, J., see Yiangou, M. (1396) 191
Paraskeva, E., see Yiangou, M. (1396) 191
Pfeifer, G.P., see Dammann, R. (1396) 153
Pizzuti, A., see Novelli, G. (1396) 158
Proba, K., Gschwend, T.P. and Sonderegger, P.
Cloning and sequencing of the cDNA encoding human neurotrypsin (1396) 143

Ramírez-Arcos, S., Fernández-Herrero, L.A. and Berenguer, J.
A thermophilic nitrate reductase is responsible for the strain specific anaerobic growth of *Thermus thermophilus* HB8 (1396) 215
Ramotar, D., Vadnais, J., Masson, J.-Y. and Tremblay, S.
*Schizosaccharomyces pombe apn1* encodes a homologue of the *Escherichia coli* endonuclease IV family of DNA repair proteins (1396) 15
Riscoe, M.K., see Cornell, K.A. (1396) 8

Sakai, Y., see Hiraoka, Y. (1396) 132
Sangiuolo, F., see Novelli, G. (1396) 158
Santiago-Lara, L.M., see Loshon, C.A. (1396) 148
Schmid, R.D., see Heim, J. (1396) 306
Schmidt-Dannert, C., see Heim, J. (1396) 306
Scouras, Z., see Yiangou, M. (1396) 191
Seki, M., see Seki, T. (1396) 127
Seki, T., Seki, M., Katada, T. and Enomoto, T.
Isolation of a cDNA encoding mouse DNA topoisomerase III which is highly expressed at the mRNA level in the testis (1396) 127
Setlow, P., see Loshon, C.A. (1396) 148
Shiosaka, T., see Doi, A. (1396) 51
Shiroza, T., see Kiyama, M. (1396) 39
Shoudai, K., Hieshima, K., Fukuda, S., Iio, M., Miura, R., Imai, T., Yoshie, O. and Nomiyama, H.
Isolation of cDNA encoding a novel human CC chemokine NCC-4/LEC (1396) 273
Sinard, J.H., Stewart, G.W., Stabach, P.R., Argent, A.C., Gilligan, D.M. and Morrow, J.S.
Utilization of an 86 bp exon generates a novel adducin isoform (β4) lacking the MARCKS homology domain (1396) 57
Sollewijn Gelpke, M.D., see MacCabe, A.P. (1396) 163
Sonderegger, P., see Proba, K. (1396) 143
Stabach, P.R., see Sinard, J.H. (1396) 57
Stewart, G.W., see Sinard, J.H. (1396) 57
Sugano, N., see Hibino, Y. (1396) 88
Sugita, M., see Watanabe, T. (1396) 97
Sugiura, M., see Watanabe, T. (1396) 97

Suyama, Y., Wong, S. and Campbell, D.A.
Regulated tRNA import in *Leishmania* mitochondria (1396) 138
Suzuki, K., Ohta, N., Hattori, Y., Uraji, M., Kato, A. and Yoshida, K.
Novel structural difference between nopaline- and octopine-type *trbJ* genes: Construction of genetic and physical map and sequencing of *trb/traI* and *rep* gene clusters of a new Ti plasmid pTi-SAKURA (1396) 1

Tabira, T., see Tanahashi, H. (1396) 259
Takaoka, Y., see Doi, A. (1396) 51
Takeda, E., see Taketani, Y. (1396) 267
Taketani, Y., Miyamoto, K.-i., Chikamori, M., Tanaka, K., Yamamoto, H., Tatsumi, S., Morita, K. and Takeda, E.
Characterization of the 5′ flanking region of the human *NPT-1* $Na^+$/phosphate cotransporter gene (1396) 267
Tanahashi, H. and Tabira, T.
Cloning of the cDNA encoding rat presenilin-2 (1396) 259
Taniguchi, K., see Hiraoka, Y. (1396) 132
Tatibana, M., see Katashima, R. (1396) 245
Tatsumi, S., see Taketani, Y. (1396) 267
Thorp, B.H., see Jefferies, D. (1396) 237
Tremblay, S., see Ramotar, D. (1396) 15
Tröster, H., see Grölz, D. (1396) 278

Umezawa, A., see Hiraoka, Y. (1396) 132
Uraji, M., see Suzuki, K. (1396) 1

Vadnais, J., see Ramotar, D. (1396) 15
Van de Vondervoort, P.J.I., see MacCabe, A.P. (1396) 163
Vanhanen, S., see MacCabe, A.P. (1396) 163
Victoratos, P., see Yiangou, M. (1396) 191
Visser, J., see MacCabe, A.P. (1396) 163
Von Schacky, C., see Jendraschak, E. (1396) 320
Vouille, V., see Fleury, Y. (1396) 228

Watanabe, T., Sugita, M. and Sugiura, M.
Identification of 10Sa RNA (tmRNA) homologues from the cyanobacterium *Synechococcus* sp. strain PCC6301 and related organisms (1396) 97
Whitehead, C.C., see Jefferies, D. (1396) 237
Wong, S., see Suyama, Y. (1396) 138
Wróblewski, H., see Fleury, Y. (1396) 228

Yamagoe, S., Mizuno, S. and Suzuki, K.
Molecular cloning of human and bovine LECT2 having a neutrophil chemotactic activity and its specific expression in the liver (1396) 105
Yamamoto, M., see Asai, K. (1396) 242
Yamamoto, S. and Minamikawa, T.
Isolation and characterization of a cDNA encoding a high mobility group protein HMG-1 from *Canavalia gladiata* D.C. (1396) 47
Yanagisawa, K., see Doi, A. (1396) 51
Yang, B. and Larson, T.J.
Multiple promoters are responsible for transcription of the *glpEGR* operon of *Escherichia coli* K-12 (1396) 114
Yiangou, M., Paraskeva, E., Hsieh, C.-C., Markou, E., Victoratos, P., Scouras, Z. and Papaconstantinou, J.
Induction of a subgroup of acute phase protein genes in mouse liver by hyperthermia (1396) 191
Yoshie, O., see Shoudai, K. (1396) 273